

175-54. TABLE OF DIMENSIONS.

Table 175-54, Table of Dimensions shows the dimensional requirements that apply to buildings and structures in the various zones.

STANDARD	ZONING DISTRICTS														
	Residence A (RA)	Residence B (RB)	Residence C (RC)	Rural (R)	Central Business 1	Central Business 2	Professional Office (PO)	Church Hill (CH)	Courthouse (C)	Coe' s Corner (CC)	OR-Route 108 (OR)	Mixed Use and Office Res. (MUDOR)	Office, Research Light Ind. (ORLI.)	Durham Business Park (DBP)	Attainable Housing Overlay District (AHOD)
Minimum Lot Size in Square Feet - Single-Family Residence (that is not part of a Conservation Subdivision) - Multi-unit Housing - Allowed Nonresidential Use - Any Other Allowed Use	20,000	40,000	150,000	150,000	NA	NA	10,000	5,000	5,000	30,000	40,000	40,000	150,000	40,000	NA
	NA	NA	NA	NA	5,000	5,000	10,000	5,000	5,000	30,000	80,000	40,000	150,000	40,000	5,000
	20,000	40,000	150,000	150,000	5,000	5,000	10,000	5,000	5,000	30,000	80,000	40,000	150,000	40,000	5,000
	20,000	40,000	150,000	150,000	5,000	5,000	10,000	5,000	5,000	30,000	80,000	40,000	150,000	40,000	5,000
Minimum Lot Area Per Dwelling Unit³ in Square Feet	20,000	40,000	150,000 ²	150,000 ²	NA	NA	3,000	4,200	4,200	4,200	4,200	40,000	150,000	20,000	4,200 (The density bonus under footnote 3 does not apply in the AHOD)
Minimum Usable Area Per Dwelling Unit in a Conservation Subdivision³ in Square Feet	20,000	40,000	150,000	150,000	1,200	1,200	3,000	4,200	4,200	4,200	4,200	40,000	150,000	NA	NA

STANDARD	ZONING DISTRICTS														Attainable Housing Overlay District (AHOD)
	Residence A (RA)	Residence B (RB)	Residence C (RC)	Rural (R)	Central Business 1	Central Business 2	Professional Office (PO)	Church Hill (CH)	Courthouse (C)	Coe' s Corner (CC)	OR-Route 108 (OR)	Mixed Use and Office Res. (MUDOR)	Office, Research Light Ind. (ORLI)	Durham Business Park (DBP)	
Minimum Lot Frontage in Feet - Minor Street - Collector Street - Arterial Street	100	150	300	300	50	50	100	50	50	100	50 100 200	100 100 200	150	150	50
Minimum Front Setback in Feet - Minor Street ¹ - Collector Street - Arterial Street	30 30 40	30 30 40	30 30 40	30 30 40	None – except per Note 5	None – except per Note 5	30 30 50	15 15 15	15 15 15	30 30 50	50 50 See Note 6	30 30 100	30 30 50	30 30 50	50 50 50
Maximum Front Setback in Feet	NA	NA	NA	NA	See Note 5	See Note 5	NA	NA	25	NA	NA	NA	NA	NA	NA
Minimum Side Setback⁴ in Feet	10	20	50	50	NA	NA	15	5	10	15	25	20	20	20	25
Minimum Rear Setback⁴ in Feet	20	30	50	50	NA	NA	20	15	15	20	25	20	20	20	25
Minimum Shoreland Shore frontage in Feet	200	200	200	200											See underlying zone
Maximum Permitted Building Height in Feet	30	30	30	30	30	30	30	30	30	30	50	40	40	40	NA – See AHOD ordinance
Maximum Permitted Building Height in Feet by Special Exception in the Four Residential Zones and by Conditional Use in Other Zones.	35	35	35	35	60 See Note 7	60 See Note 7	35	35	35	35	75	50	50	50	NA – See AHOD ordinance
Maximum Impervious Surface Ratio	33%	30%	20%	20%	100%	100%	50%	80%	80%	30%	50 %	50%	50%	50%	50%

NOTES: 1. When the average front yard setback of other buildings within 300 ft. each way on the same side of a minor street is less than 30 feet, the front yard setback may be reduced to the average existing setback.

2. Any single-family lot in the R and RC Districts existing as of July 1, 2003, including lots in approved subdivisions, shall only be required to have a minimum lot area of 120,000 square feet and shall not be subject to the minimum usable area per dwelling unit requirement. Pre-existing lots with a minimum of 120,000 square feet of area shall be deemed to be conforming lots for the purpose of the minimum lot size and minimum usable area provisions but shall conform to all other current applicable standards for the district in which they are located.

3. See 175-57(A) for the special density requirements for senior housing, senior care facilities, and nursing homes.

4. See Article XX for requirements for accessory buildings.

5. Additional setback requirements for this district are provided in the Development Standards section for the zone.

6. The minimum front yard setback from Route 108 shall be 100 feet plus 2 feet for each foot of building height in excess of 25 feet.

7. No building along the sections of Main Street or Madbury Road delineated in Subsections 175-42(B)(8) and (9) shall exceed 35 feet in height.